

Message

From: Nonresponsive based on revised scope
Sent: 9/25/2019 3:15:51 PM
To: Wagner, Christine [Wagner.Christine@epa.gov]
Subject: RW equipment proposal and water test results
Attachments: ATT00001.txt; RW00.jpg; RW00.xls; RW01.jpg; RW01.xls; RW02.jpg; RW02.xls; RW04.jpg; RW04.xls; RW11.jpg; RW11.xls; RW12.jpg; RW12.xls

Chris,

Attached is what Nonresponsive based on revised scope proposed for each RW. The xls files are Nonresponsive based on revised scope proposals for each RW. It appears that all the equipment will be changed out at the two existing homes. The jpg files are the results of the water test for each RW.

Let me know if you have any questions or need more information.

Thanks

Nonresponsive based on revised scope

From: Nonresponsive based on revised scope
Sent: Tuesday, September 24, 2019 4:08 PM
To: Ex. 6 Personal Privacy (PP)
Subject: RE: [EXT]RE: List of residents for the Shiloh Church Road Site in Nathalie, VA

Ex. 6 Personal Privacy (PP)

I am sending you a copy of each RW test and also a copy of a recommendation for each house. I need to know if I missed anything and do we need to go ahead and start scheduling installations. Let me know your thoughts.

Thanks,

Nonresponsive based on revised scope



Nonresponsive based on revised scope



----- Original Message -----

Subject: RE: [EXT]RE: List of residents for the Shiloh Church Road Site in Nathalie, VA

From: [Nonresponsive based on revised scope]

Date: Tue, September 24, 2019 2:18 pm

To: [Nonresponsive based on revised scope]

Sounds good
Thanks

[Nonresponsive based on revised scope]

[Nonresponsive based on revised scope]

From: [Nonresponsive based on revised scope]

Sent: Tuesday, September 24, 2019 1:28 PM

To: [Nonresponsive based on revised scope]

Subject: [EXT]RE: List of residents for the Shiloh Church Road Site in Nathalie, VA

CAUTION This email originates from a source outside the company. Please use caution when opening attachments, clicking on links, or following the senders request.

Good Afternoon,

Confirming your email was received. I am midway into entering all the test data and selecting equipment for the RW #s. Should receive an email with the test copies and the equipment lists either by today or tomorrow.

Thanks,

[Nonresponsive based on revised scope]

[Nonresponsive based on revised scope]



----- Original Message -----

Subject: List of residents for the Shiloh Church Road Site in Nathalie,
VA

From: Nonresponsive based on revised scope C.Keegan@emc.com

Date: Tue, September 24, 2019 10:57 am

To: **Nonresponsive based on revised scope**

Nonresponsive based on revised scope

Good morning.

Please see the attached list for the residents down here.

Any questions please ask.

Ex. 6 Personal Privacy (PP)

Ex. 6 Personal Privacy (PP)

We'll wait to hear from you.

Thanks

Nonresponsive based on revised scope

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.